

Index

A

AHR. *See* Aryl hydrocarbon receptor

AKT, regulatory T cell function, 194–196

Alemtuzumab

B-cell effects, 334

clinical trials

design, 304

efficacy in multiple sclerosis, 304–306, 310

guidelines, 307

overview, 303–304

prospects for study, 310–311

safety

infection, 306–308

infusion reaction, 306

long-term immunological effects, 309–310

pregnancy and lactation, 309

proliferative disorders, 308

secondary autoimmunity, 308–309

Antibody microarray, biomarker utility, 231

ApoE, biomarker utility, 229

Aryl hydrocarbon receptor (AHR), astrocyte,
130–131

Astrocyte

environmental signals, 132–133

functional overview, 127–129

multiple sclerosis pathophysiology

aryl hydrocarbon receptor, 130–131

overview, 129–130

prospects for study, 134–135

sphingolipid metabolism, 132

tools for study, 133–134

Atacicept, clinical trials, 334–335

B

BBB. *See* Blood–brain barrier

B cell

alemtuzumab effects, 334

antibody response in multiple sclerosis, 205–207,
327–328

antigen presentation and inflammation, 207–208

cytokine secretion

granulocyte macrophage colony-stimulating
factor, 210

interleukin 6, 209

interleukin 10, 208

interleukin 15, 209–210

interleukin 35, 208

transforming growth factor β , 208

tumor necrosis factor, 209

dimethylfumarate effects, 334

experimental autoimmune encephalitis role,
81–82

glatiramer acetate modulation, 266–267, 333–334

interferon modulation, 333

meningeal inflammation role, 210–211

mitoxantrone effects, 334

natalizumab effects, 334

therapeutic targeting

adverse effects, 332–333

atacicept, 334–335

CD20 depletion, 328–330

overview, 203–204

progressive multiple sclerosis, 330–332

prospects, 335–336

tolerance in multiple sclerosis, 204–205

trafficking in multiple sclerosis, 205

BDNF. *See* Brain-derived neurotrophic factor

Biomarkers. *See also specific biomarkers*

biobanking, 220–221

candidate biomarkers, 221–228

classification

diagnostic, 222, 224

disease activity, 224

predictive, 221–222

side effect monitoring, 225

treatment–response, 225

clinical end point correlation, 221

definition, 220

discovery, 221

importance, 219–220

interferon β therapy efficacy monitoring,
248–249

JC virus antibody, 226

magnetic resonance imaging, 225–226

oligoclonal bands, 226

specificity, 221

table, 223–224

validation, 220

Blood–brain barrier (BBB)

gut microbe short-chain fatty acids and
permeability, 147–148

magnetic resonance imaging of compromise,
55–58

Brain-derived neurotrophic factor (BDNF), glatiramer
acetate effects, 267

Index

C

- CD4⁺ T cell
 - activation, 156
 - experimental autoimmune encephalitis role, 78–79, 170–171
 - glatiramer acetate modulation, 264
 - myelin-reactive cells
 - biomarker utility, 230–231
 - overview, 158–159
 - regulatory T-cell mimicry, 188–189
 - resistance to regulation in multiple sclerosis, 162–164
- Th1 cell
 - gut-associated lymphoid tissue, 142
 - overview of multiple sclerosis mediation, 1, 159–160
 - pathology of responses, 161–162
- Th17 cell
 - cytokines in differentiation and plasticity, 171–173
 - gut-associated lymphoid tissue, 142
 - interleukin 23
 - multiple sclerosis mediation, 175–177
 - programming, 174–175
 - neuromyelitis optica role, 177–179
 - overview of multiple sclerosis mediation, 1, 159–160, 169–170
 - pathology of responses, 160–161
 - transcription factor networks, 173–174
- CD8⁺ T cell
 - experimental autoimmune encephalitis role, 79–80
 - glatiramer acetate modulation, 264
 - myelin-reactive cells as biomarkers, 230–231
 - pathology of responses, 162
 - resistance to regulation in multiple sclerosis, 162–164
- CD20, therapeutic targeting, 328–330
- CD25, daclizumab effects, 314, 317–319
- CD39, 146–147
- CDCV. *See* Common disease–common variant
- CDMS. *See* Clinically definitive multiple sclerosis
- Central vein, magnetic resonance imaging, 61–63
- CHI3L1, biomarker utility, 10
- CIS. *See* Clinically isolated syndrome
- Cladribine
 - clinical studies, 288, 291
 - mechanism of action, 288
 - overview, 287–288
 - safety, 288–289
- Clinically definitive multiple sclerosis (CDMS)
 - biomarkers, 10
 - clinical features, 2, 4–5
- Clinically isolated syndrome (CIS)
 - biomarkers, 10
 - clinical features, 4–5
 - interferon β clinical trials
 - BENEFIT, 251–252
 - CHAMPS, 250–251

ETOMS, 251

overview, 249–250

- Coffee, multiple sclerosis risk studies, 36
- Common disease–common variant (CDCV), 43–44
- CTLA-4, therapeutic targeting, 195
- CXCL113, biomarker utility, 10
- CXCL13, biomarker utility, 227
- CYP27B1, genome-wide association studies, 45

D

- Daclizumab
 - clinical trials, 320–321
 - mechanism of action, 43, 313–320
 - prospects for study, 322
 - safety, 321–322
- Diabetes, regulatory T-cell loss of function, 189, 192
- Dimethyl fumarate (DMF), experimental autoimmune encephalitis studies of therapy, 84
 - B-cell effects, 334
 - clinical studies, 291, 294
 - hematopoietic stem cell transplantation
 - combination, 346
 - mechanism of action, 293–294
 - overview, 293
 - safety, 294–295
- DMF. *See* Dimethyl fumarate

E

- EBV. *See* Epstein–Barr virus
- ENTPD1, 146
- Epstein–Barr virus (EBV), multiple sclerosis risk studies, 30–32
- Experimental autoimmune encephalitis (EAE)
 - antigens as lymphocyte targets, 76
 - B-cell role, 81–82
 - CD4⁺ T-cell role, 78–79, 170–171
 - CD8⁺ T-cell role, 79–80
 - drug development, 83–85
 - gut microbiota effects, 145–146, 148
 - microglia studies, 108–111, 114–115
 - myelin basic protein induction, 76–77
 - myelin oligodendrocyte glycoprotein induction, 77
 - proteolipid protein induction, 77
 - spontaneous models, 82–83

F

- Fingolimod
 - B-cell effects, 334
 - clinical studies, 289–291
 - experimental autoimmune encephalitis studies of therapy, 84
 - hematopoietic stem cell transplantation
 - combination, 347

- mechanism of action, 289
 - microglia effects, 118
 - overview, 289
 - safety, 290, 293
- G**
- GA. *See* Glatiramer acetate
 - Genetic risk score (GRS), disease susceptibility, 46–47
 - Genome-wide association studies (GWAS)
 - biomarker discovery, 232
 - multiple sclerosis, 42–46
 - GFAP. *See* Glial fibrillary acidic protein
 - Glatiramer acetate (GA)
 - B-cell effects, 266–267, 333–334
 - clinical trials, 267–269
 - combination therapy, 269
 - dosing, 269–270
 - experimental autoimmune encephalitis studies of therapy, 83–84
 - mechanism of action
 - adaptive immunity regulation, 262, 264
 - anti-inflammatory mechanisms, 263–267
 - neuroprotection, 267
 - overview, 261–262
 - pharmacology, 262
 - prospects for study, 270
 - safety, 270
 - Glial fibrillary acidic protein (GFAP), biomarker utility, 229–230
 - GM-CSF. *See* Granulocyte macrophage colony-stimulating factor
 - Granulocyte macrophage colony-stimulating factor (GM-CSF)
 - B-cell production, 210
 - monoclonal antibody therapy and microglia effects, 119
 - GRS. *See* Genetic risk score
 - Gut microbiota
 - gut-associated lymphoid tissue as reservoir for multiple sclerosis–associated immune cells, 140–142
 - lipopeptides as biomarkers, 231–232
 - multiple sclerosis
 - effects on microbiota, 148–149
 - regulation mechanisms
 - blood–brain barrier permeability, 147–148
 - immunomodulation, 143–147
 - prospects for study, 139–150
- H**
- HDAC1, 99
 - Hematopoietic stem cell transplantation (HSCT)
 - adverse effects
 - cognitive issues, 352
 - fatigue, 352
 - fertility, 353
 - infection, 352
 - physical deficit worsening, 352
 - pseudorelapse triggering, 351
 - secondary autoimmune disease, 352
 - sexual dysfunction, 352–353
 - clinical trials, 342–344
 - combination therapy sequencing, 346–347
 - conditioning regimen, 348–350
 - employment concerns, 353
 - historical perspective, 341–342
 - mortality, 347
 - patient selection, 344–346
 - prospects, 353–354
 - stem cell
 - infusion, engraftment, and recovery, 349
 - mobilization, 348
 - timeline, 350
 - young patients
 - fertility, 351
 - financial concerns, 349
 - roles and responsibilities, 351
 - Heritability, multiple sclerosis, 41–42
 - HLA. *See* Human leukocyte antigen
 - HSCT. *See* Hematopoietic stem cell transplantation
 - Human leukocyte antigen (HLA)
 - biomarker utility, 232
 - susceptibility loci, 30–32, 42, 44, 157
- I**
- IFN- β . *See* Interferon β
 - IFN- γ . *See* Interferon γ
 - IL2R
 - genome-wide association studies, 44
 - therapeutic targeting, 313–314
 - IL-6. *See* Interleukin 6
 - IL7R, genome-wide association studies, 44
 - IL-10. *See* Interleukin 10
 - IL-12. *See* Interleukin 12
 - IL-15. *See* Interleukin 15
 - IL-23. *See* Interleukin 23
 - IL-35. *See* Interleukin 35
 - Inflammation
 - B cell
 - antigen presentation, 207–208
 - meningeal inflammation role, 210–211
 - glatiramer acetate anti-inflammatory mechanisms, 263–267
 - imaging, 65
 - pathology
 - active lesions, 20
 - demyelination role, 21–23
 - neurodegeneration role, 22–23
 - overview, 15, 19–20
 - progressive disease, 20–21

Index

- Interferon β (IFN- β)
microglia effects, 118
therapy
B-cell effects, 333
biomarkers of efficacy, 248–249
clinical trials in relapsing remitting multiple sclerosis
ADVANCE trial, 245–246
dose comparison and outcomes, 246
IFNB Multiple Sclerosis Study Group, 243–244
MSCRG, 244–245
PRISMS trials, 245
clinically isolated syndrome trials
BENEFIT, 251–252
CHAMPS, 250–251
ETOMS, 251
overview, 249–250
comparative studies, 253–254
compliance, 254
experimental autoimmune encephalitis studies, 83
historical perspective, 241
IMPACT trial, 253
mechanism of action, 242–243
observational studies, 246, 248
prospects for study, 254–255
safety, 254
secondary progressive multiple sclerosis trials
EUSPMS, 252–253
NASPMS, 253
overview, 252
SPECTRIMS trial, 253
- Interferon γ (IFN- γ), regulatory T-cell secretion, 192–196
- Interleukin 6 (IL-6)
B-cell production, 209
Th17 cell differentiation role, 172–173
- Interleukin 10 (IL-10), B-cell production, 208
- Interleukin 12 (IL-12), Th17 cell differentiation role, 173
- Interleukin 15 (IL-15), B-cell production, 209–210
- Interleukin 23 (IL-23)
multiple sclerosis mediation, 175–177
Th17 cell programming, 174–175
- Interleukin 35 (IL-35), B-cell production, 208
- J**
- JC virus (JCV) antibodies
biomarker utility, 226
progressive multifocal leukoencephalopathy risk mitigation in natalizumab therapy, 280–281
- JCV antibodies. *See* JC virus antibodies
- K**
- KIF5A, 99
- KIR4.1, antibodies and biomarker utility, 228–229
- L**
- Laquinimod
clinical studies, 292, 296
mechanism of action, 295–296
microglia effects, 119
safety, 296
- M**
- Macrophage. *See* Microglia
- Magnetic resonance imaging (MRI)
biomarkers in multiple sclerosis
gray matter atrophy, 225
hyperintense T2-weighted lesions, 225
spinal cord atrophy, 226
whole brain atrophy, 225–226
blood–brain barrier compromise, 55–58
brain atrophy and neurodegeneration, 58–60
central vein, 61–63
cortical lesions, 65–66
disease activity and course determination, 2, 8–9
inflammation, 65
microglia, 112
spinal cord, 60–61
techniques for multiple sclerosis
diffusion tensor imaging, 64–65
magnetization transfer imaging, 63–64
overview, 53–54
T1-weighted spin-echo and gradient-echo imaging, 55–58
T2-weighted spin-echo and inversion-recovery sequences, 54–55
- Magnetic resonance spectroscopy (MRS), multiple sclerosis, 63
- MBP. *See* Myelin basic protein
- Microglia
activation
patterns in lesions, 107–108
rodent versus human, 117
antigen presentation, 113–115
damage response and phagocytosis, 113
experimental autoimmune encephalitis studies, 108–111
imaging biomarker, 111–113
immunomodulation, 116
infection response, 116–117
oligodendrocyte effects, 115–116
overview, 106
oxidative burst and cytotoxicity, 116
phenotypes in acute and chronic lesions, 106–107
senescence, 117
therapeutic targeting, 117–119
- MicroRNA (miRNA)
biomarker utility, 227–228
miR-124, microglia effects, 118–119
- miRNA. *See* MicroRNA

- Mitochondria
demyelinated axon changes
 complex IV activity, 101–102
 energy demands, 100–101
myelinated axon energy demands and mitochondria
 distribution, 100
neuronal cell bodies
 respiratory chain complexes, 96–99
 transport machinery, 99–100
therapeutic targeting of respiratory chain complex
 deficiency, 103
- Mitoxantrone
 B-cell effects, 334
 hematopoietic stem cell transplantation
 combination, 346–347
- MOG. *See* Myelin oligodendrocyte glycoprotein
- MPO. *See* Myeloperoxidase
- MRI. *See* Magnetic resonance imaging
- MRS. *See* Magnetic resonance spectroscopy
- Myelin basic protein (MBP)
 biomarker utility, 229
 experimental autoimmune encephalitis induction,
 76–77
- Myelin oligodendrocyte glycoprotein (MOG),
 experimental autoimmune encephalitis
 induction, 77
- Myeloid cell, glatiramer acetate modulation, 265–266
- Myeloperoxidase (MPO), biomarker use, 111–112
- N**
- NAA. *See* *N*-acetylaspartate
- N*-acetylaspartate (NAA), biomarker utility, 10
- Natalizumab
 adverse effects
 progressive multifocal leukoencephalopathy
 risks and mitigation, 279–281
 side effects, 281–282
 antibodies, 282–283
 B-cell effects, 334
 clinical trials, 278–279
 costs, 284
 experimental autoimmune encephalitis studies of
 therapy, 84
 hematopoietic stem cell transplantation
 combination, 347
 historical perspective, 277–278
 mechanism of action, 276
 observational studies, 283
 pregnancy studies, 283
 reactivation following therapy cessation, 282
- Natural killer (NK) cell, daclizumab effects, 316–318,
 321–322
- Neurofilament, biomarker utility, 10, 229
- Neuromyelitis optica (NMO), Th17 cell role, 177–179
- NK cell. *See* Natural killer cell
- NMO. *See* Neuromyelitis optica
- NR1H3, genome-wide association studies, 45
- O**
- Obesity, multiple sclerosis risk studies, 35, 47
- Ocrelizumab, B-cell targeting in multiple sclerosis,
 329–330
- Ofatumumab, B-cell targeting in multiple sclerosis, 330
- Oligoclonal bands, biomarker utility, 226
- Oligodendrocyte, microglia response, 115–116
- OPN. *See* Osteopontin
- Osteopontin (OPN), biomarker utility, 230
- P**
- P2Y12, 108
- Pathology, multiple sclerosis
 active lesions, 16
 acute relapsing versus progressive disease, 18–19
 gray matter demyelination, 18
 inactive lesions, 16
 inflammation
 active lesions, 20
 demyelination role, 21–23
 neurodegeneration role, 22–23
 overview, 15, 19–20
 progressive disease, 20–21
 lesion types, 18
 overview, 13–16
 remyelinated shadow plaques, 16–17
- PD-1, therapeutic targeting, 195
- PET. *See* Positron emission tomography
- PGC-1 α , 97
- PLP. *See* Proteolipoid protein
- PML. *See* Progressive multifocal leukoencephalopathy
- Polysaccharide A (PSA), gut microbiota studies, 145–146
- Positron emission tomography (PET)
 inflammation imaging, 65
 microglia, 112–113
- PPMS. *See* Primary progressive multiple sclerosis
- Primary progressive multiple sclerosis (PPMS)
 activity modifiers and progression, 8–9
 B-cell targeting in therapy, 330–332
 clinical features, 1, 3, 8
- PRMS. *See* Progressive relapsing multiple sclerosis
- Progressive multifocal leukoencephalopathy (PML),
 natalizumab risks, 279–281
- Progressive relapsing multiple sclerosis (PRMS), 1, 4
- Proteolipoid protein (PLP), experimental autoimmune
 encephalitis induction, 77
- PSA. *See* Polysaccharide A
- R**
- Radiologically isolated syndrome (RIS), clinical features,
 2, 4

Index

- Regulatory T cell (Treg)
 autoimmune disease end loss of function,
 189–193
 discovery, 185–186
 effector T-cell mimicry for specific immune
 regulations, 188–189
 glatiramer acetate modulation, 264
 gut microbiota effects, 144
 heterogeneity, 186–187
 interferon γ secretion, 192–196
 peripheral tolerance role, 187–188
 Tr1 cells, 192
- Relapsing remitting multiple sclerosis (RRMS)
 active lesions, 106
 activity modifiers and progression, 8
 clinical features, 1, 3, 5–6
 interferon β clinical trials
 ADVANCE trial, 245–246
 dose comparison and outcomes, 246
 IFNB Multiple Sclerosis Study Group,
 243–244
 MSCRG, 244–245
 PRISMS trials, 245
- Respiratory chain. *See* Mitochondria
- RIS. *See* Radiologically isolated syndrome
- Rituximab, B-cell targeting in multiple sclerosis, 329
- RRMS. *See* Relapsing remitting multiple sclerosis
- S**
- Secondary progressive multiple sclerosis (SPMS)
 activity modifiers and progression, 9
 clinical features, 1, 3, 6–7
 interferon β clinical trials
 EUSPMS, 252–253
 NASPMS, 253
 overview, 252
 pathology, 14
- SGK-1, 194
- Shift work, multiple sclerosis risk studies, 35–36
- Smoking. *See* Tobacco
- Spinal cord, magnetic resonance imaging, 60–61
- SPMS. *See* Secondary progressive multiple sclerosis
- Stem cell transplantation. *See* Hematopoietic stem cell transplantation
- T**
- TAGAP, genome-wide association studies, 43
- T cell. *See* CD4⁺ T cell; CD8⁺ T cell; Regulatory T cell
- Teriflunomide
 B-cell effects, 334
 clinical studies, 292, 297
 experimental autoimmune encephalitis studies of
 therapy, 84
 hematopoietic stem cell transplantation
 combination, 346
 mechanism of action, 296–297
 overview, 296
 safety, 297
- TGF- β . *See* Transforming growth factor β
- T helper cell. *See* CD4⁺ T cell
- Th1. *See* CD4⁺ T cell
- Th17. *See* CD4⁺ T cell
- TLRs. *See* Toll-like receptors
- TMEM119, 107
- TNFRSF1A, genome-wide association studies, 44
- TOB-1, biomarker utility, 229
- Tobacco, multiple sclerosis risk studies, 32–33
- Toll-like receptors (TLRs), microglia expression,
 110–111, 116
- Transforming growth factor β (TGF- β)
 B-cell production, 208
 Th17 cell differentiation role, 171–172
- Treg. *See* Regulatory T cell
- TREM2, 108
- Tumor necrosis factor, B-cell production, 209
- V**
- Vitamin D, multiple sclerosis risk studies, 33–35, 47
- VLA-4, 84, 205
- Y**
- YKL-40, biomarker utility, 227